according to Regulation (EC) No. 1907/2006 (REACH) \cdot Revision date: 15.03.2025 \cdot Print date: 15.03.2025 Version: 8 \cdot Page 1/11

1. Identification of the Substance/Mixture and of the Company/Undertaking

1. 1. Product Identifier

Product Name: Kölner Classic Dilution

Article No.: 13005025

UFI:

1. 2. Relevant identified Uses of the Substance or Mixture and Uses advised against

Identified uses:

Solvent

Uses advised against:

1. 3. Details of the Supplier of the Safety Data Sheet (Producer/Importer)

Company: KVP Kölner Vergolderprodukte GmbH

Address: Rennmühle 3, 91126 Schwabach

Tel./Fax.: +49 (0) 35 1 - 86 26 89 50 914480, Fax +49 (0) 35 1 - 86 26 34 91

Internet: http://kolner-vergolderprodukte.de/
EMail: info@kolner-vergolderprodukte.de

1. 4.

Emergency No.: +49 (0) 35 1 - 86 26 89 50 (nur erreichbar zu Bürozeiten)

1.4.2

2. Hazards Identification

2. 1. Classification of the Substance or Mixture

Classification according to Regulation (EC) No. 1272/2008 (CLP/GHS)

Flammable liquids, hazard category 3
Aspiration hazard, hazard category 1

Hazardous to the aquatic environment, chronic hazard category 4

H226 Flammable liquid and vapour.

Cat.: 3

H304 May be fatal if swallowed and enters airways.

Cat.: 1

H413 May cause long lasting harmful effects to aquatic life.

Cat.: 4

Possible Environmental Effects:

2. 2. Label Elements

Classification according to Regulation (EC) No. 1272/2008 (CLP/GHS)

Hazard designation:



GHS02



according to Regulation (EC) No. 1907/2006 (REACH) · Revision date: 15.03.2025 · Print date: 15.03.2025 Version: 8 · Page 2/11



GHS08-2

Signal word:

Danger

Hazard designation:

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H413 May cause long lasting harmful effects to aquatic life.
EUH066 Repeated exposure may cause skin dryness or cracking.

Safety designation:

P210 Keep away from heat/ sparks/ open flames/ hot surfaces. No

smoking.

P301+P310 If swallowed: Immediately call a poison center or physician.

P331 Do not induce vomiting.

P370+P378 In case of fire: use water spray, foam, carbon dioxide or dry

extinguishing powder for extinction.

P403+P235 Store in a well ventilated place. Keep cool.

P501 Dispose of contents/ container according to regional, national and

international regulations.

Hazardous components for labelling:

2. 3. Other Hazards

3. Composition/Information on Ingredients

3. 1. Substance

3. 2. Mixture

Chemical Characterization: Mixture of isoparaffinic hydrocarbons.

Information on Components / Hazardous

Ingredients:

Hydrocarbons, C11-C12, Isoalkanes, < 2 % 100 % CAS-Nr:

Aromatics (H226-304-413); REACH Reg. No. 01- EINECS-Nr: 918-167-1

2119472146-39-xxxx EC-Nr:

Additional information:

First Aid Measures

4. 1. Description of the First Aid Measures

General information:

Do not leave affected persons unattended.

Take person away from hazardous area.

In all cases of severe injuries or in case of unconsiousness, do not

transport affected persons: call a physician.

Give artificial respiration in case breathing is not regular or if it has

stopped.

After inhalation:

Supply fresh air or give oxygen.



4.

according to Regulation (EC) No. 1907/2006 (REACH) · Revision date: 15.03.2025 · Print date: 15.03.2025 Version: 8 · Page 3/11

Get medical help.

In case of unconsciousness place patient stable in side position for

transportation.

After skin contact:

Remove contaminated clothing immediately. Wash off immediately

with plenty of water and soap.

After eye contact:

Rinse open eyes with plenty of water for at least 15 minutes.

Consult physician.

After ingestion:

Do not induce vomiting. Consult physician immediately.

Never give anything by mouth to an unconscious person.

4. 2. Most important Symptoms and Effects, both Acute and Delayed

Symptoms:

Headache, dizziness, nausea, unconsciousness.

Effects:

Aspiration can cause disorders of the central nervous system.

4. 3. Indication of any Immediate Medical Attention and special Treatment needed

Treatment:

If vomiting occurs after ingestion, aspiration into the lungs can occur which can cause a chemical pneumonia or suffocation.

5. Fire-Fighting Measures

5. 1. Extinguishing Media

Suitable extinguishing media:

Foam, carbon dioxide (CO2), extinguishing powder, water spray

jet.

Fight larger fire with water jet or alcohol resistant foam.

Unsuitable extinguishing media:

Water with full jet.

5. 2. Special Hazards arising from the Substance or Mixture

Special hazards:

In case of fire: formation of carbon oxides and smoke.

5. 3. Advice for Firefighters

Protective equipment:

Wear self-contained respiratory protective device.

Further information:

Contaminated extinguishing water and debris should be disposed

of according to local regulations.

Cool exposed containers with water spray.

6. Accidential Release Measures

6. 1. Personal Precautions, Protective Equipment and Emergency Procedures

Personal precautions:

Wear appropriate protective equipment. Keep spectators away.



according to Regulation (EC) No. 1907/2006 (REACH) · Revision date: 15.03.2025 · Print date: 15.03.2025 Version: 8 · Page 4/11

Ensure adequate ventilation.

Keep away from sources of ignition. No smoking.

6. 2. Environmental Precautions

Environmental precautions:

Prevent contamination of soils, drains and surface water.

Contact local authorities if product pollutes soil or vegetation.

6. 3. Methods and Material for Containment and Cleaning Up

Methods and material:

Contain with absorbent material (sand, diatomaceous earth, acid

binder, universal absorbent) and dispose accordingly.

Transfer liquids and solid diking material to separate suitable

containers for recovery or disposal.

6. 4. Reference to other Sections

Dispose of contaminated material according to Section 13.

7. Handling and Storage

7. 1. Precautions for Safe Handling

Instructions on safe handling:

Provide adequate ventilation. Avoid the formation of aerosol.

Protect against heat and direct sunlight.

Hygienic measures:

Keep away from foodstuffs and drinks.

7. 2. Conditions for Safe Storage, including any Incompatibilities

Storage conditions:

Store in tightly sealed containers in a cool and well ventilated

location.

Protect against heat and direct sunlight.

Requirements for storage areas and containers:

Suitable packaging: only approved packagings may be used.

Information on fire and explosion protection:

Take measures to prevent static electricity discharge, earth/ground

all equipment.

Do not store together with combustible, self-ignitable and flammable products, nor with highly inflammable solids.

Measures should be taken to avoid waste/uncontrolled discharge

into the environment.

Keep away from sources of heat and ignition - do not smoke. Do not use compressed air for filling, discharging or other

applications.

Storage class:

3; Flammable liquids (TRGS 510)

Further Information:



according to Regulation (EC) No. 1907/2006 (REACH) \cdot Revision date: 15.03.2025 \cdot Print date: 15.03.2025 Version: 8 \cdot Page 5/11

7. 3. Specific End Use(s)

Further information:

No information available.

8. Exposure Controls/Personal Protection

8. 1. Parameters to be Controlled

Parameters to be controlled (DE):

TRGS 900

Hydrocarbons, C11-C12, Isoalkanes, <2% Aromatics: TWA 600

mg/m3

Parameters to be controlled:

Derived No-Effect Level (DNEL):

PNEC (Predicted No-Effect

Concentration):

Additional Information:

8. 2. Exposure Controls

Technical protective measures:

No further measures, see Section 7.

Personal Protection

General protective measures:

The usual precautionary measures are to be adhered to when

handling chemicals.

Keep away from foodstuffs and drinks. Do not eat, drink or smoke during work. Wash hands before breaks and at the end of work.

Respiratory protection:

Respiratory equipment required in case of insufficient ventilation,

filter type A (organic gases/vapors, boiling point > 65°C)

Hand protection:

Protective gloves (EN 374)

Protective gloves should be changed regularly, especially after

intensive contact with the product.

Protective glove material:

Recommended: Protective index 4, corresponding > 120 min. of

permeation time (EN 374).

Polyethylene (PE), chloroprene rubber (CR), butyl rubber (0.4 mm)

Eye protection:

Tightly fitting safety goggles (EN 166).

Body protection:

Protective clothing.

Environmental precautions:

Prevent contamination of open water ways and sewage system.

Avoid contamination of ground water.

9. Physical and Chemical Properties



according to Regulation (EC) No. 1907/2006 (REACH) \cdot Revision date: 15.03.2025 \cdot Print date: 15.03.2025 Version: 8 \cdot Page 6/11

Page 6/11			
9. 1.	Information on Basic Physical and Chemical Properties		
	Form:	liquid	
	Color:	colorless	
	Odor:	characteristic	
	Odor threshold:		
		no information available	
	pH-Value:	not available	
	Melting temperature:	<-20°C	
	Boiling temperature:	179 - 191°C (1 atm)	
	Flash point:	56°C (1 atm)	
	Evaporation rate:	30 C (Taun)	
	Evaporation rate.	not determined	
	Flammability (solid, gas):		
		Flammable liquid according to GHS criteria	
	Upper explosion limit:	7 Vol%	
	Lower explosion limit:	0.6 Vol%	
	Vapor pressure:	0.07 kPa (20°C)	
	Vapor density:		
		No information available.	
	Density:	0.76 g/cm3 (15°C)	
	Solubility in water:	not determined	
	Coefficient of variation (n- Octanol/Water):	1.99 - 6.73 logPOW	
		no information available	
	Auto-ignition temperature:	> 200°C	
	Decomposition temperature:		
		No data available.	
	Viscosity, dynamic:	not available	
	Evalorius proportion.	not available	
	Explosive properties:	Product is not explosive; however, an explosive vapor/air mixture can be formed.	
	Oxidizing properties:		
		no information available	
	Bulk density:		

9. 2. Further Information

Solubility in solvents:



not applicable

according to Regulation (EC) No. 1907/2006 (REACH) \cdot Revision date: $15.03.2025 \cdot$ Print date: 15.03.2025 Version: 8 · Page 7/11

Viscosity, kinematic: 1.8 mm2/s (20°C)

Burning class:

Solvent content:

Solid content:

Particle size:

Other information:

Surface tension: 23.7 mN/m (25°C)

Temperature class: T3 (maximum temperature: 200°C)

10. Stability and Reactivity

10.1. Reactivity

Stable if used according to specifications.

10.2. Chemical Stability

Stable if used according to specifications.

10.3. Possibility of Hazardous Reactions

Formation of explosive vapor-air-mixtures possible in case of

insufficient ventilation.

10.4. Conditions to Avoid

Conditions to avoid:

Avoid heat, sparks, open fire and other ignition sources.

Thermal decomposition:

No data available.

10.5. Imcompatible Materials

Strong oxidizing agents.

10.6. Hazardous Decomposition Products

None known.

10.7. Further Information

11. Toxicological Information

11. 1. Information on Hazard Classes as defined in Regulation (EC) No. 1272/2008

Acute Toxicity

Is not classified as acutely toxic.

LD50, oral: > 15000 mg/kg (rat)

LD50, dermal: > 5000 mg/kg (rabbit)

LC50, inhalation: > 9300 mg/m3 (4h, rat)

LC50: > 4951 mg/m3 (4h, rat; vapor)

Primary effects

Irritant effect on skin:

Shall not be classified as corrosive/irritant to skin.

Irritant effect on eyes:

Shall not be classified as seriously damaging or irritating to the

eye.



according to Regulation (EC) No. 1907/2006 (REACH) · Revision date: 15.03.2025 · Print date: 15.03.2025 Version: 8 · Page 8/11

Inhalation:

Avoid the inhalation of vapors above the recommended exposure

level.

Ingestion:

No information available

Sensitization:

Shall not be classified as a repiratory or skin sensitizer.

Mutagenicity:

Not mutagenic.

Reproductive toxicity:

No reproductive toxicity expected.

Carcinogenicity:

Not cancerogenic.

Teratogenicity:

No information available.

Specific target organ toxicity (STOT):

Single exposure: no organospecific toxicity expected.

Repeated exposure: no organospecific toxicity expected.

Aspiration hazard:

May be fatal if swallowed and enters airways.

11. 2. Information on other Hazards

Skin contact: repeated exposure may cause skin dryness or

cracking.

12. Ecological Information

12. 1. Aquatic Toxicity

Fish toxicity:

LL50: > 1000 mg/l (48h, fish)

LL50 (Chronic): > 1000 mg/l (24h, fish)

Daphnia toxicity:

EL50: > 1000 mg/l (24h, Daphnia magna)

EL50 (Chronic): > 1 mg/l (21d, Daphnia magna)

Bacteria toxicity:

no information available

Algae toxicity:

No information available.

12. 2. Persistency and Degradability

Biochemical oxygen demand (BOD): 7.3 % (4d)

Carbon dioxide formation: 0 % (3d)

12. 3. Bioaccumulation

Bioconcentration factor (BCF): 6.91 - 3.625 (ECHA)

12. 4. Mobility

Adsorption coefficient (Organic Carbon) soil/water (Koc): 1.71 -



according to Regulation (EC) No. 1907/2006 (REACH) · Revision date: 15.03.2025 · Print date: 15.03.2025 Version: 8 · Page 9/11

5.55 (ECHA)

12. 5. Results of PBT- und vPvP Assessment

This product is neither a PBT or vPvB substance nor does it

contain a PBT or vPvB substance.

12. 6. Endocrine Disrupting Properties

This substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delgated Regulation (EU) No. 2017/2100 or Commission Regulaton (EU) 2018/605 at levels of

0.1 % or higher.

12. 7. Other Adverse Effects

Water hazard class:

1 (German Regulation) (Assessment by list): slightly hazardous. Do not allow undiluted product or large quantities of it to reach

ground water, waterways or sewage system.

Behaviour in sewage systems:

Further ecological effects:

AOX Value:

13. Disposal Considerations

13. 1. Waste Treatment Methods

Product:

Solvent recovery / regeneration.

Do not empty into drains. Avoid release into the environment.

Refer to special instructions / Safety data sheets.

European Waste Code (EWC):

Uncleaned packaging:

Dispose of according to official local regulations.

Non contaminated packaging can either be recycled or utilized for

energy (incineration).

Waste Code No.:

14. Transport Information

14. 1. UN Number

ADR, IMDG, IATA 3295

14. 2. UN Proper Shipping Name

ADR/RID: KOHLENWASSERSTOFFE, FLÜSSIG, N.A.G. (Iso- und

Cycloalkane)

3

IMDG/IATA: HYDROCARBONS, LIQUID, N.O.S. (Iso- and cycloalkanes)

14. 3. Transport Hazard Classes

ADR Class:

Hazard no.: 3

Classification code: F1

Tunnel restriction code: D/E



according to Regulation (EC) No. 1907/2006 (REACH) · Revision date: 15.03.2025 · Print date: 15.03.2025 Version: 8 · Page 10/11

IMDG Class (sea): 3

Hazard no.: 3

EmS No.: F-E, S-D

IATA Class: 3

Hazard no.: 3

14. 4. Packaging Group

ADR/RID: III

IMDG:

IATA:

14. 5. Environmental Hazards

None

14. 6. Special Precautions for User

Warning: Inflammable liquids.

14. 7. Maritime Transport in Bulk according to IMO Instruments

not applicable

14. 8. Further Information

15. Regulatory Information

15. 1. Safety, Health and Environmental Regulations/Legislation specific for the Substance or Mixture

Water hazard class:

1, slightly hazardous for water (according to the German

Regulation AwSV)

Local regulations on chemical accidents:

Flammable liquids (P5c): Amount 1: 5000 t; Amount 2: 50000 t

Employment restrictions:

Restriction and prohibition of application:

EC. REACH, Section XVII, Restrictions on the Manufacture,

Placing on the Market and Use of Certain Dangerous Substances,

Preparations and Articles, Registered no. 3, 40.

Technical instructions on air quality:

5.2.5.: Organic substances: > 25 wt.-% (m>=0.50 kg/h: conc. 50

mg/m3)

15. 2. Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out for this

product.

15. 3. Further Information

Listed in the following inventories:

EC. REACH, Annex XIV, Candidate List of Substances of very

High Concern (SVHC): not regulated / not applicable

RoHS Directive 2011/65/EC on the Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic

Equipment (RoHs): not listed.

Regulation (EC) No. 166/2006 concerning the establishment of a



according to Regulation (EC) No. 1907/2006 (REACH) \cdot Revision date: $15.03.2025 \cdot$ Print date: 15.

š	European Pollutant Release and Transfer Register (PRTR): Not listed
	Regulation on Persistent Organic Polutants (POP): not listed
	VOC Content: 100 %

16. Other Information

This product should be stored, handled and used in accordance with good hygiene practices and in conformity with any legal regulations. This information contained herein is based on the present state of knowledge and is intended to describe our product from the point of view of safety requirements. It should be therefore not be construed as guaranteeing specific properties.